



# 1. Part Number Description

## Metering Valves



## Metering Valves



# 2. Appendix

## 2.1. Body Configuration

| N° Config. | Valve Close | Valve Open | Schematic | Fittings configuration for ordering |
|------------|-------------|------------|-----------|-------------------------------------|
| 21         |             |            |           |                                     |
| 22         |             |            |           |                                     |
| 23         |             |            |           |                                     |
| 24         |             |            |           |                                     |
| 31         |             |            |           |                                     |
| 32         |             |            |           |                                     |
| 33         |             |            |           |                                     |
| 34         |             |            |           |                                     |
| 35         |             |            |           |                                     |
| 36         |             |            |           |                                     |
| 41         |             |            |           |                                     |
| 42         |             |            |           |                                     |
| 43         |             |            |           |                                     |
| 44         |             |            |           |                                     |

## 2.2. Fittings

- [A] 1/4" VCR® female compatible
- [B] 1/4" VCR® male compatible
- [C] 1/2" VCR® female compatible
- [D] 1/2" VCR® male compatible
- [E] 3/4" VCR® male Compatible
- [F] 3/4" VCR® female compatible
- [G] Swagelok® 6 mm compatible
- [H] Swagelok® 1/4" compatible
- [I] Swagelok® 8 mm compatible
- [J] Swagelok® 3/8" compatible
- [K] Swagelok® 10 mm compatible
- [L] Swagelok® 12 mm compatible
- [M] Swagelok® 1/2" compatible
- [N] Swagelok® 3/4" compatible
- [O] Swagelok® 1" compatible
- [P] Welded flange CF16
- [Q] Welded flange CF40
- [R] Welded flange KF16
- [S] Welded flange KF40
- [T] 3/8" VCR® female compatible
- [U] 3/8" VCR® male compatible
- [V] Welded flange CF10
- [W] Welded flange KF10
- [X] 1" VCR® female compatible
- [Y] 1" VCR® male compatible
- [Z] Welded flange KF25
- [1] 1,125" surface mounting
- [2] 1,5" surface mounting
- [9] Specific